



CENTURA 

Vesta



Vesta

A new interpretation of the Travertino marble, calls for the spotlight. Accomplish a visual and tactile impact by its organic movement, and diverse multitone, combined with the low relief carving effect.

Vesta White 12"x24"

Porcelain Tile

◇ 12"x24"



Vesta White 12"x24"



Vesta Sand 12"x24"



Vesta Silver 12"x24"

Vesta

Porcelain Tile

8.5 mm |  | 12"x24"
300x600 cm



White



12"x24"
UVESTAF16BV

Other Faces



Silver



12"x24"
UVESTAF16BI



Vesta

Porcelain Tile


8.5 mm |  | 12"x24"
300x600 cm



Sand



12"x24"
UVESTAF16BE




Taupe



12"x24"
UVESTAF16BG

Other Faces



Vesta

Porcelain Tile

Technical Specifications

CHARACTERISTICS	STANDARD	DECLARED ASTM
Water Absorption	C373	<=0.5%
Break Strength	C648	Min. 275
Chemical Resistance	C650	Class A (Resist) ¹
Stain Resistance	C1378	Class A
Frost Resistance	C1026	Resistant
Thermal Shock Resistance	C484	Resistant
Crazing Resistance	C424	Resistant
Group	See FAQ's	4
PEI- Glazed Tiles	C1027	PEI (IV)
Dynamic Coefficient of Friction (DCOF)	A326.3	>=0.42
Shade and Texture Rating	CTDA "V"	V3
Facial Dimensions	C499	Pass
Range of Thickness	C499	Pass
Warpage	C485	Pass
Wedging	C502	Pass

Packaging Info

Size	SF per carton	PC per carton	Bx per pallet
12"x24"	17.44	9	32